



AVERO Premium plus

The ideal care and spa bathtub in classic design



Group 2



Group 3



Group 4



Group 5

Watch product video!



Functionality meets wellness

The AVERO Premium plus lifting bathtub was developed in close cooperation with nurses and occupational therapists. The ergonomic tub body with the lowered foot area and high-quality materials enable a relaxation bath with a wellness character. The tub body and the foot construction allow the use of all modern care lifts on the market.

The AVERO Premium plus stands freely in the room without anchoring to the floor and is therefore freely accessible from 3 sides. A control panel with symbols prevents incorrect operation and simplifies the work of the nursing staff. Available in different bath lengths as model 175 or model 190.



Operating panel with temperature display



Accessible from 3 sides with all modern lifters



Great arm and shoulder room



The lowered foot area supports ergonomic lying and prevents slipping



Large armrests with high quality handles offer safety and comfort to bathers



Optional: integrated disinfection system



Lowered foot area & special back profile

The lowered leg area offers bathers reliable support. Together with the distinctive armrests and the molded back profile, the components form the basis for the ergonomic tub body. This ensures a relaxed and safe bathing process with sufficient hold, especially when used with seat lifts.



Intuitive operating and control unit

All functions of the bath can be easily controlled using the control panel integrated in the console. The water temperature of the bath spout, bath water and hand shower is always displayed.



Wide tub body offers plenty of space

Residents of all sizes enjoy sufficient freedom of movement inside the body of the AVERO Premium plus.



Technical Data

Total dimensions* (L x W)	2.230 mm x 820 mm
Inner tub body dimensions* (L x W x H)	1.780 mm x 575/720 mm x 430/490 mm
Outer tub body dimensions* (L x W x H)	1.934 mm x 800 mm x 520 mm
Height adjustment	670 mm - 1.020 mm
Capacity*	ca. 220 Liter
SWL	300 kg
Power connection	230 V, 50 Hz (120 V, 60 Hz)

* Specifications for AVERO Premium plus, model 190

Product Information

Electrical Height Adjustment
Easy operation via control panel with intuitive symbols
Safety modules prevent incorrect operation of the tub
Temperature display for bath spout, hand shower and bathing water
Ergonomic inner tub body
Lowered foot area
Armrests with handles for more comfort and safety
Seat with hygiene opening
Scalding protection for hand shower and bath spout

Available Options



Aroma system



RAL colors available



Colored-light system



Disinfection system



Airspa system



Automatic tub filling



Music-sound system



Emergency function in case of power failure



Bluetooth-music-sound system



Bathtub shortener

AVERO Premium Plus 190

Technical data

Overall dimension	2,230 x 820 mm I 87.79 x 32.28"
Lifting range	662 - 1,062 mm/ 26.06 x 41.81"
Max. patient weight ²	20 kg / 485 lbs
Capacity (w/o patient)	approx. 220 l
Safe working load (SWL)	300 kg/ 661 lbs (patient & water)
Power supply	120V
Frequency	60 Hz
Current consumption	10,5 A (1 260 VA)

AVERO Premium Plus 190

Part# 810143501

For additional technical data, please refer to the user manual.

Tub shortener	Part # 278401
Disinfection system	Part# 810328001
Disinfection blocking function	Part# 810328100
Temperature display for tub water	Part# 810146100
Automatic water stop	Part# 810131300
Double scalding protection function	Part# 810145350
Second hand shower	Part # 810328200
Music sound system	Part# 810150572
Air jet whirlpool system	Part# 810131500
Color light therapy system	Part# 810131600
Emergency function at power failure	Part# 810150857
Prestige safety grab bar	Part# 910303000

UNITY-HEALTHCARE SOLUTIONS
25967 CONIFER ROAD, CONIFER, CO 80421
PH: 303-838-7320 ~ Fax: 303-838-4550
<http://www.unity-healthcare.com/>



EKA Hospitec GmbH
Am Rübenmorgen 3
35582 Wetzlar-Dutenhofen



Tel +49 641 922 20-0



Fax +49 641 922 20-20



www.beka-hospitec.com