

beka
hospitec



EVE!

Unique shower and bath lift that combines
modern design and maximum functionality



Group 1



Group 2



Group 3

Watch product video!



The combi bath lift for Showering and bathing!

The unique, modern EVE! Shower and bath lifter is exactly the right tool to be able to shower or bathe your residents safely and comfortably at any time, depending on their mobility level.

EVE! is extremely agile and easy to maneuver. It can be used flexibly in any modern bathtub. The battery-operated electric drive enables the height to be adjusted continuously and very quietly and therefore without any feelings of discomfort for the resident.

The hand control enables the caregiver to operate the lifter safely and easily. The lifter can be operated by just one caregiver. An integrated service module reports malfunctions on the lifter as well as due maintenance.



Low entry height of 49.5 cm enables easy self-entry



Ergonomic safety handles enable precise maneuvering



Comfort seat with care opening



Fits easily in any modern care bathtub



Optional: integrated patient scale




High quality aluminum and stainless steel construction



Easily mobile double castors, two of them with brakes



Battery and emergency stop function



Cable control with Display of the battery and service status



100% usable as a shower chair & bathing lift

EVE! is the universal aid in the care bath and works as a shower chair and/or as a reliable bath lift. Thanks to its easy handling, it can be operated by only one caregiver.



Comfort seat with removable PUR pad

The specially shaped seat has a large hygiene opening. The pad is made of high quality PUR material and can be easily removed, cleaned and reattached.



Modern, high quality design

With EVE! you have an easily maneuverable bathroom lifter that impresses with its unique design. It is made entirely of stainless steel and aluminum.



Easy self-entry

The chassis is shaped in such a way that your (partially) mobile residents can easily get on their own. The lowest entry height is 49.5 cm.



Technical Data

Dimensions (L x W x H)	950 x 680 x 1.240 mm
Lifting Height	495 - 1.065 mm
Lowest Entry Height	495 mm
SWL	185 kg
Double castors (4 x in total, 2 of them with brakes)	100 mm Diameter

Product Information

High quality aluminum and stainless steel construction
Electrically height adjustable
Comfort seat with hygiene opening
Emergency stop function
Closed double Castors
Ergonomic safety handles
Cable control with display of the battery and service status

Available Options



24 V replacement battery



Wall charger



Digital patient scale

UNITY-HEALTHCARE SOLUTIONS
25967 CONIFER ROAD, CONIFER, CO 80421
PH: 303-838-7320 ~ Fax: 303-838-4550
<http://www.unity-healthcare.com/>





Tel 303-838-7320



Fax 303-838-4550



www.Unityhealthcare.com