UNITY-HEALTHCARE SOLUTIONS 25967 CONIFER R OAD, CONIFER, CO 80421 PH: 303-838-7320 ~ Fax: 303-838-4550

http://www.unity-healthcare.com

REUSABLE PATIENT SLINGS



- Unique fabric selection offers unsurpassed durability and patient comfort
- Designed for maximum durability and patient comfort all at a lower cost
- Designed to be bleach tolerant for enhanced laundering
- Radio translucent compatible with X-ray and CT
- Safe working loads of 660, 1100 and 1250 lbs.
- All slings available with loop or clip attachments
- Universal design is compatible with all manufacturers' lifts
- Over 10,000,000 slings sold worldwide
- Our Best for Less approach offers major cost savings without sacrificing quality
- Zero Backorder Guarantee In stock or we discount your order
- Products are GS1 barcoded for simplified ordering and inventory management
















Inovi provides a simple and cost effective way to keep both patients and caregivers safe while still managing costs. By utilizing an advanced polywoven fabric, Inovi's reusable slings offer superior durability and comfort. This will result in slings lasting longer, being more comfortable and costing less up front and over time. With 200 plus dedicated sling sewers, we can also make changes and customize very quickly and responsively.

FULL RANGE


Inovi offers a complete sling portfolio including pediatric and bariatric solutions. Each sling is individually serialized and includes easily identifiable color-coded border for easy sizing plus a very visible additional size indicator on reusable slings.



SAFE FOR BATHING

Slings can be spot cleaned or fully submerged during bathing and can still be used if allowed to air dry. This prolongs the use of the sling and reduces replacement cost.

PRESSURE MAPPING STUDY



Over 10,000,000 slings sold worldwide. All slings are manufactured in accordance with ISO standards. Breathability, pressure mapping and flammability studies have been completed on all slings. Inovi adheres to the highest quality production standards and batch tests all of its slings via an independent testing laboratory.

UNIVERSAL APPLICATION All of Inovi's slings a in either loop or clip

All of Inovi's slings are available in either loop or clip configurations and are compatible with all manufacturers' lifts.

CLIF



SINGLE LOOP



MULTIPLE LOOP



THIRD PARTY TESTING





TEST REPORT - Q2004/2015

REQUESTED BY:

Rhino Consultant and Facilitators (Pvt) Ltd.
No. 27/1, Theliagapatha Road
Watala.



SLING TYPES



UNIVERSAL
Easy to fit and very supportive.
Split leg design with multi-loop straps and with head support.



UNIVERSAL DELUXE The universal deluxe provides greater head support and has a single loop strap.



UNIVERSAL CLIP Compatible with lifts using clip style attachments. Available in multiple configurations.



MESH Breathable mesh material is ideal for bathing. Available with or without head support.



EASY FIT
Parachute material reduces friction while placing sling. Available with or without head support.



COMFORT
Designed to be left under the patient, spacer material wicks moisture & allows increased air flow.



DURAWEAVE
This fabric offers all of the
benefits of polyester but with a
more textured feel.



BARIATRIC
Designed to comfortably support bariatric patients without increased pressure on their legs.



REPOSITIONING
Used for repositioning and
lateral transfers. The material is
breathable mesh (or solid).



HYGIENE
The large opening around the seat facilitates undressing.
Available with belt and detachable head support options.



HAMMOCK
Hammock Sling with Loops,
Hammock Mesh Sling with
Commode Aperture.



AMPUTEE
This sling is suitable for both bilateral or unilateral amputee patients.



SIT-TO-STAND Ideal for toileting seating/ standing or general rehabilitation. Available with loop or clip attachments.



WALKING PANTS
Available in two configurations.
Desinged to help ambulate
individuals weighing up to
1100 lbs.



LIMB LIFTER
Used to hold arms, legs and other parts of the body for tasks such as washing, debriding, or treatment.



RETURN BELT The Return Belt is used with the return lift, as well as for transfers and gait training.

SLING GUIDE

BARCODED

PRODUCT CODE

UNIVERSAL w/Hard Foam Head Support	UNIVERSAL CLIP w/ Hard Foam Head Support	SIZE				
UNIVFH-(S,M,L)	UNIVFHCL-(S,M,L)	S,M,L	SIZING CHART BY WEIGHT			
UNIVFH-XL UNIVFH-XXL	UNIVFHCL-XS UNIVFHCL-S	XL XXL	SIZE	APPROX.	BINDING	SAFE
UNIVFH-XXXL	UNIVFHCL-M	XXXL		WEIGHT	COLOR	WORK-
UNIVERSAL DELUXE SINGLE LOOP w/ Head Support SIZE						ING
UNIVDLX-(S,M,L)	Single loop w/more head support	S,M,L				LOAD
UNIVDLX-XL UNIVDLX-XXL	Single loop w/more head support	XL XXL	XX-SMALL	0-55 lbs /	dark	660 lbs/
UNIVDLX-XXL	Single loop w/more head support Single loop w/more head support	XXXL		0-25kg	blue	300 kg
LOOP HYGIENE SLING	CLIP HYGIENE SLING	SIZE	X-SMALL	56-75 lbs /	white	660 lbs/
	ilable with or without head support	SIZE		25-34 kg		300 kg
HYGN-(S,M,L)	HYGNCL-(S,M,L)	S,M,L	SMALL	75-124 lbs /	red	660 lbs/
HYGN-XL HYGN-XXL	HYGNCL-XL HYGNCL-XXL	XL XXL		34-56 kg		300 kg
HYGN-XXXL	HYGNCL-XXL	XXXL	MEDIUM	125-174lbs /	yellow	660 lbs/
LOOD AMPLITE CLINIC	CLID AMPLITEE CLINC	SIZE	MEDIOW	57-79 kg	yenow	300 kg
LOOP AMPUTEE SLING AMP-(S,M,L)	CLIP AMPUTEE SLING AMPCL-(S,M,L)	S,M,L	LARGE	175-249 lbs /	green	660 lbs/
AMP- XL	AMPCL-XL	XL	L WOL	79-113 kg	green	300 kg
AMP- XXL AMP- XXXL	AMPCL-XXL AMPCL-XXXL	XXL XXXL	X-LARGE	250-399 lbs /	royal	660 lbs/
			X-LANGE	113-181 kg	blue	300 kg
	CLIP SIT TO STAND SLING	SIZE	XX-LARGE	400-600 lbs /		1100 lbs/
*Available in standard, wipe HARN-(S,M,L)	able and quilted materials HARNCL-(S,M,L)	S,M,L	AA-LANGE	181-272 kg	orange	500 kg
HARN-XL	HARNCL-XL	XL	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			Ŭ
HARN-XXL HARN-XXXL	HARNCL-XXL HARNCL-XXXL	XXL XXXL	XXX- LARGE	600-1100 lbs / 272-499 kg	gray	1100lbs/ 500 kg
			LANGE	272-477 Kg		300 kg
COMFORT SLING WITH SPACEOMFORT-(S,M,L)	ACER MATERIAL Spacer material for breathability	SIZE S,M,L				
COMFORT-XL	Spacer material for breathability	XL	SIZING CHA	IART BY BODY		
COMFORT-XXL COMFORT-XXXL	Spacer material for breathability Spacer material for breathability	XXL XXXL	SIZE	COCCYX TO	ТОР	WIDTH
	Spacer material for breathability	7000	3.==	OF HEAD		AT HIPS
REPOSITIONING SLINGS *Available in mesh and solic	l materials		XX-SMALL	20-21 in / 51-5	3 cm	under 9
REPO-STD	40"x80" with 5 multi loop straps -	40"×80"	7010111112	20 21 1117 01 0	0 0111	in / 23
	1000 lb. SWL 45"x80" with 6 multi loop straps -					cm
REPO-STD45	1000 lb. SWL	45"×80"	X-SMALL	21-24 in / 54-6	0 cm	9-12 in /
REPO-BARI	50"x85" with 6 multi loop starps - 1250 lb. SWL	52"x85"				23-30 cm
			SMALL	24-28 in / 60-7	0 cm	13-15 in /
LIMB SLINGS BANDS-STD	Available with or without carabiners	Standard 6"x36"				33-38 cm
BANDS-BARI	Available with or without carabiners	Bariatric 12"x47"	MEDIUM	28-33 in / 70-8	4 cm	16-18 in /
WALKING CLING	MALIZING DADTO	CIZE				41-46 cm
WALKING SLING WALK-(S,M,L)	WALKING PARTS WALKP-(S,M,L)	SIZE S,M,L	LARGE	33-38 in / 84-96 cm 19-22 in		19-22 in /
WALK-(5,W,L)	WALKP-XL	XL		48-56		48-56 cm
WALK-XXL	WALKP-XXL	XXL	X-LARGE	38-43 in / 96-1	08 cm	22-26 in /
WALK-XXXL	WALKP-XXXL	XXXL				56-66 cm
BARIATRIC SLING			XX-LARGE	43-47 in / 108-	120 cm	over
UNIVBARI-L UNIVBARI-XL		L XL				26 in /
UNIVBARI-XXL		XXL				66 cm

To request samples or place an order, email orders@inovihealth.com or call 844-321-LIFT(5438).

XXXL



UNIVBARI-XXXL

UNITY-HEALTHCARE SOLUTIONS 25967 CONIFER ROAD, CONIFER, CO 80421 PH: 303-838-7320 ~ Fax: 303-838-4550

http://www.unity-healthcare.com

